























NDM1 Series Miniature Circuit Breaker						
Product Name	Rated Current	1P	2P	3P	4P	Photo
NDM1-63 Series MCB B Curve & C Curve for Illumination Distribution System	1A-63A	TUV, CE	TUV, CE	TUV, CE	TUV, CE	
NDM1-63 Series MCB D Curve for Industrial Distribution System	1A-63A	CCC	CCC	CCC	CCC	
NDM1-125C, D	50A-100A	TUV, CE, UL1077	TUV, CE, UL1077	TUV, CE, UL1077	TUV, CE, UL1077	
NDM1-125C	125A	TUV, CE, UL1077	TUV, CE, UL1077	TUV, CE, UL1077	TUV, CE, UL1077	
NDG1 Series Switch-Disconnecter						
Product Name	Rated Current	1P	2P	3P	4P	Photo
NDG1 Series Switch- Disconnecter	32A, 63A, 100A	CCC	CCC	CCC	CCC	
Accessory for NDG1 Series Switch-Disconnecter						
Product Name	Type	APPROVAL			Photo	
Auxiliary Contact	OF3	CCC				
Busbar						
Product Name	Type	Name	APPROVAL	Photo		
NDH1-63 Busbar		End Cover of NDH1 (A pair)				
	NDH1-63 1P	Busbar	-			
	NDH1-63 2P	Busbar	-			
	NDH1-63 3P	Busbar	-			
	NDH1-63 1P (Injected with glue)	Busbar	-			
	NDH1-63 2P (Injected with glue)	Busbar	-			
NDH1-100 Busbar	NDH1-100 1P	Busbar	-			
	NDH1-100 2P	Busbar	-			
	NDH1-100 3P	Busbar	-			
NDH2-63 Busbar		End Cover of NDH2 (A pair)				
	NDH2-63 1P	Busbar	-			
	NDH2-63 2P	Busbar	-			
PLEASE CONTACT OUR AGENTS FOR MORE DETAILS:						
TEL:+421 (0)32 743 0968 FAX:+421 (0)32 743 0973						
MOKI, s.r.o., Mytna 558/10, 916 01 Stara Tura, Slovak republic						
Email:office@mokisro.sk						
Website: http://www.sh-liangxin.com http://www.globalspec.com/Supplier/Profile/ShanghaiLiangxinNaderElectrical						
				 www.mokisro.sk		

NDB1 Series MCB, RCBO, RCBO with Over-voltage Protection (Phase Line+Neutral Line)							
Product Name	Rated Current	NDB1-32		NDB1L-32		Photo	
NDB1-32, NDB1L-32	6A, 10A, 16A, 20A, 25A, 32A	TUV, CE		TUV, CE, UL1053			
Accessories for NDM1 Series Miniature Circuit Breaker							
Product Name	Type	1P+N	2P	3P	3P+N	4P	Photo
NDM1L Release Against Earth Leakage Fault	NDM1L-32	CCC	CCC	CCC	CCC	CCC	
	NDM1L-50	CCC	CCC	CCC	CCC	CCC	
	NDM1L-100	CCC	CCC	CCC	CCC	CCC	
Accessories	SD	CCC					
	OF	TUV, CE					
	MX+OF	-					
NDA1 Series Modular Socket							
Product Name	Type	Width	Rated Current	APPROVAL	Photo		
Single-Phase Two-Hole	NDA1-10/22	18mm	10A	CCC			
Single-Phase Three-Hole	NDA1-16/34	36mm	16A	CCC			
Three-Phase Four-Hole	NDA1-16/46	54mm	16A	CCC			
Three-Phase Four-Hole	NDA1-25/48	72mm	25A	CCC			
NDA3 Series Multifunctional Modular Socket							
Product Name	Type	Width	Rated Current	APPROVAL	Photo		
Multifunctional Single-Phase Three-Hole	NDA3-16/34	36mm	16A	-			
Multifunctional Single-Phase Three-Hole	NDA3-10/34	36mm	10A	-			
Note: The modular width is 9mm. (Example: NDA1-16/34, rated current is 16A, "34" tens digit of "3" indicates three-hole, unit digit of "4" indicates multiple of the modular width.)							
NDB2 Series High Breaking Capacity 10KA Miniature Circuit Breaker							
Product Name	Rated Current	1P	2P	3P	4P	Photo	
NDB2-63 Series High Breaking Capacity MCB B Curve & C Curve	1A-63A	TUV, CE, UL1077	TUV, CE, UL1077	TUV, CE, UL1077	TUV, CE, UL1077		
NDB2-63 Series High Breaking Capacity MCB D Curve	1A-63A	TUV, CE, UL1077	TUV, CE, UL1077	TUV, CE, UL1077	TUV, CE, UL1077		
NDB2-63K Series Miniature Circuit Breaker (Phase Line+Neutral Line)							
Product Name	Rated Current			APPROVAL		Photo	
NDB2-63K Series MCB (Phase Line+Neutral Line) C Curve	6A, 10A, 16A, 20A, 25A, 32A, 40A, 50A, 63A			CCC			
NDB2Z-63 Series High Breaking Capacity DC Miniature Circuit Breaker							
Product Name	Rated Current	1P	2P	3P	4P	Photo	
NDB2Z-63 Series High Breaking Capacity DC MCB B Curve & C Curve	1A-63A	TUV, CE, UL1077	TUV, CE, UL1077	TUV, CE, UL1077	TUV, CE, UL1077		
NDB2LE-63 Series Residual Current Breaker with Overcurrent Protection							
Product Name	Type	1P+N	2P	3P	3P+N	4P	Photo
NDB2LE-63 Series Residual Current Breaker with Overcurrent Protection	NDB2LE-63	CCC	CCC	CCC	CCC	CCC	
Accessories for NDB2 Series High Breaking Capacity Miniature Circuit Breaker							
Product Name	Type	Approval			Photo		
Alarm Contact	SD2	CCC					
Auxiliary Contact	OF2	TUV, CE					
Shunt Release	MX+OF2	-					
Note: For NDB2Z-63 3P, 4P products, special order is requested.							
PLEASE CONTACT OUR AGENTS FOR MORE DETAILS:							
TEL:+421 (0)32 743 0968 FAX:+421 (0)32 743 0973							
MOKI, s.r.o., Mytna 558/10, 916 01 Stara Tura, Slovak republic							
Email: office@mokisro.sk							
Website:							
http://www.sh-liangxin.com							
http://www.globalspec.com/Supplier/Profile/ShanghaiLiangxinNaderElectrical							
				 www.mokisro.sk			

NDB3 Series Circuit Breaker for Equipment				
Product Name	Rated Current	1P	2P	Photo
NDB3-30 Series Circuit Breaker for Equipment (Hydraulic-magnetic Type)	0.1A~30A	TUV, CE, UL1077, UL489A(Testing)	TUV, CE, UL1077, UL490A(Testing)	
NDB3-50 Series Circuit Breaker for Equipment (Hydraulic-magnetic Type)	1A~50A	TUV, CE, UL489A, UL1077	TUV, CE, UL489A, UL1077	
NDB3-100 Series Circuit Breaker for Equipment (Hydraulic-magnetic Type)	1A~100A	TUV, CE, UL489A	TUV, CE, UL489A	
Accessories of NDB3 Series Circuit Breaker for Equipment				
Product Name	Photo			
Panel for Snap-in type				
Auxiliary contact				
Plug-in type terminal				
Flush rocker type actuator				
Fault panel (Only for NDB3-100)				
PLEASE CONTACT OUR AGENTS FOR MORE DETAILS:				
TEL:+421 (0)32 743 0968 FAX:+421 (0)32 743 0973				
MOKI, s.r.o., Mytna 558/10, 916 01 Stara Tura, Slovak republic				
Email office@mokisro.sk				
Website:				
http://www.sh-liangxin.com				
http://www.globalspec.com/Supplier/Profile/ShanghaiLiangxinNaderElectrical				
 www.mokisro.sk				

NDC1 Series AC Contactor				
Product Name	Type	Rated Current Ie (AC-3)(A)	APPROVAL	Photo
AC contactor 3 poles	NDC1-09	9	TUV, CE	 <p>Picture for NDC109-95</p>
	NDC1-12	12	TUV, CE	
	NDC1-18	18	TUV, CE	
	NDC1-25	25	TUV, CE	
	NDC1-32	32	TUV, CE	
	NDC1-38	38	TUV, CE	
	NDC1-40	40	TUV, CE	
	NDC1-50	50	TUV, CE	
	NDC1-65	65	TUV, CE	
	NDC1-80	80	TUV, CE	 <p>Picture for NDC115-780</p>
	NDC1-95	95	TUV, CE	
	NDC1-115	115	CCC	
	NDC1-150	150	CCC	
	NDC1-185	185	CCC	
	NDC1-225	225	CCC	
	NDC1-265	265	CCC	
	NDC1-330	330	CCC	
	NDC1-400	400	CCC	
NDC1-500	500	CCC		
NDC1-630	630	CCC		
NDC1-780	780	CCC		
AC contactor 4 poles	NDC1-0940	9	TUV, CE	
	NDC1-0908	9		
	NDC1-1240	12	TUV, CE	
	NDC1-1208	12	TUV, CE	
	NDC1-2540	25	TUV, CE	
	NDC1-2508	25		
	NDC1-4040	40	TUV, CE	
	NDC1-4008	40		
	NDC1-5040	50	TUV, CE	
	NDC1-5008	50		
	NDC1-6540	65	TUV, CE	
	NDC1-6508	65		
	NDC1-8040	80	TUV, CE	
	NDC1-8008	80		
	NDC1-9540	95	TUV, CE	
	NDC1-9508	95		
	NDC1-1154	115	CCC	
	NDC1-1504	150	CCC	
	NDC1-1854	185	CCC	
	NDC1-2254	225	CCC	
	NDC1-2654	265	CCC	
NDC1-3304	330	CCC		
NDC1-4004	400	CCC		
NDC1-5004	500	CCC		
NDC1-6304	630	CCC		

PLEASE CONTACT OUR AGENTS FOR MORE DETAILS:

TEL:+421 (0)32 743 0968 FAX:+421 (0)32 743 0973

MOKI, s.r.o., Mytna 558/10, 916 01 Stara Tura, Slovak republic

Email:office@mokisro.sk





Website:

<http://www.sh-liangxin.com>

<http://www.globalspec.com/Supplier/Profile/ShanghaiLiangxinNaderElectrical>



www.mokisro.sk

NDC1Z Series AC Contactor with DC Coil				
Product Name	Type	Rated Current Ie (AC-3)(A)	APPROVAL	Photo
AC contactor 3 poles(DC coil)	NDC1Z-09	9	TUV, CE	
	NDC1Z-12	12	TUV, CE	
	NDC1Z-18	18	TUV, CE	
	NDC1Z-25	25	TUV, CE	
	NDC1Z-32	32	TUV, CE	
	NDC1Z-38	38	TUV, CE	
	NDC1Z-40	40	TUV, CE	
	NDC1Z-50	50	TUV, CE	
	NDC1Z-65	65	TUV, CE	
NDC1Z-80	80	TUV, CE		
NDC1Z-95	95	TUV, CE		
AC contactor 4 poles(DC coil)	NDC1Z-0940	9	TUV, CE	
	NDC1Z-0908	9	TUV, CE	
	NDC1Z-1240	12	TUV, CE	
	NDC1Z-1208	12	TUV, CE	
	NDC1Z-2540	25	TUV, CE	
	NDC1Z-2508	25	TUV, CE	
	NDC1Z-4040	40	TUV, CE	
	NDC1Z-4008	40	TUV, CE	
	NDC1Z-5040	50	TUV, CE	
	NDC1Z-5008	50	TUV, CE	
	NDC1Z-6540	65	TUV, CE	
	NDC1Z-6508	65	TUV, CE	
	NDC1Z-8040	80	TUV, CE	
	NDC1Z-8008	80	TUV, CE	
NDC1Z-9540	95	TUV, CE		
NDC1Z-9508	95	TUV, CE		
NDC1N Series Reversible Contactor				
Product Name	Type	Rated Current Ie (AC-3)(A)	Price	Photo
AC contactor 3 poles (reversing)	NDC1N-09	9	CCC	
	NDC1N-12	12	CCC	
	NDC1N-18	18	CCC	
	NDC1N-25	25	TUV, CE	
	NDC1N-32	32	CCC	
	NDC1N-38	38	CCC	
	NDC1N-40	40	CCC	
	NDC1N-50	50	CCC	
	NDC1N-65	65	CCC	
	NDC1N-80	80	CCC	
	NDC1N-95	95	CCC	
	NDC1N-115	115	CCC	
	NDC1N-150	150	CCC	
	NDC1N-185	185	CCC	
	NDC1N-225	225	CCC	
	NDC1N-265	265	CCC	
	NDC1N-330	330	CCC	
	NDC1N-400	400	CCC	
	NDC1N-500	500	CCC	
	NDC1N-630	630	CCC	
NDC1N-780	780	CCC		
PLEASE CONTACT OUR AGENTS FOR MORE DETAILS:				
<p>TEL:+421 (0)32 743 0968 FAX:+421 (0)32 743 0973</p> <p>MOKI, s.r.o., Mytna 558/10, 916 01 Stara Tura, Slovak republic</p> <p>Email:office@mokisro.sk</p> <p>Website: http://www.sh-liangxin.com http://www.globalspec.com/Supplier/Profile/ShanghaiLiangxinNaderElectrical</p>				
			 <p>www.mokisro.sk</p>	

Product Name	Type	Rated Current I _N (A)	APPROVAL	Photo
AC contactor 4 poles (reversing)	NDC1N-1240	12	CCC	
	NDC1N-2540	25	CCC	
	NDC1N-4040	40	CCC	
	NDC1N-5040	50	CCC	
	NDC1N-6540	65	CCC	
	NDC1N-8040	80	CCC	
	NDC1N-9540	95	CCC	
	NDC1N-1154	115	CCC	
	NDC1N-1504	150	CCC	
	NDC1N-1854	185	CCC	
	NDC1N-2254	225	CCC	
	NDC1N-2654	265	CCC	
	NDC1N-3304	330	CCC	
	NDC1N-4004	400	CCC	
	NDC1N-5004	500	CCC	
NDC1N-6304	630	CCC		

NDK1 Series Switching Capacitor Type Contactor

Product Name	Type	Set heating current I _{th} (A)	APPROVAL	Photo
Switching capacitor contactor	NDK1-25	32	CCC	
	NDK1-32	40	CCC	
	NDK1-40	50	CCC	
	NDK1-50	60	CCC	
	NDK1-60	80	CCC	
	NDK1-80	80	CCC	
	NDK1-125	125	CCC	

NDQ4 Series Star-delta Starter

Product Name	Type	Rated Current I _e (AC-3A)(A)	APPROVAL	Photo
Star triangle starter	NDQ4-12	20	TUV, CE	
	NDQ4-18	31	TUV, CE	
	NDQ4-25	43	TUV, CE	
	NDQ4-32	55	TUV, CE	
	NDQ4-40	69	TUV, CE	
	NDQ4-50	86	TUV, CE	
	NDQ4-65	112	TUV, CE	
	NDQ4-80	138	TUV, CE	
	NDQ4-95	164	TUV, CE	

NDJ1(Z) Series Contactor Type Relay

Product Name	Type	Set heating current I _{th} (A)	APPROVAL	Photo
Contactor-type relay	NDJ1	10	TUV, CE	
	NDJ1Z (DC operation)	10	TUV, CE	

Accessories for AC Contactor

Product Name	Type	APPROVAL	Photo
Auxiliary contact group	NF1(4p) (top mount)	TUV, CE	
	NF1(2p) (top mount)	TUV, CE	
	NF2(side mount)	CCC	

NDR1 Series Electric Thermal Overload Relay

Product Name	Type	APPROVAL	Photo
Electric thermal overload relay	NDR1-35A/M	TUV, CE	
	NDR1-65A/M	TUV, CE	

Accessories

Product Name	Type	OLR type	APPROVAL	Photo
Panel mount adapter	NA1-38	NDR1-09-38	-	
	NA1-95	NDR1-40-95	-	

Product Name	Type	Coil type	APPROVAL	Photo
Coilsurge restraining modular	NG1-1NRE	24-48V AC/DC	-	
	NG1-1NRG	50-127V AC/DC	-	
	NG1-1NRU	110-240V AC/DC	-	
	NG1-2NRE	24-48V AC/DC	-	
	NG1-2NRG	50-127V AC/DC	-	
	NG1-2NRU	110-240V AC/DC	-	
	NG1-2NRR1	380-415V AC/DC	-	
	NG1-2RCE	24-48V AC	-	
	NG1-2RCG	50-127V AC	-	
	NG1-2RCU	110-240V AC	-	
	NG1-2DC	24-220V DC	-	

PLEASE CONTACT OUR AGENTS FOR MORE DETAILS:
 TEL: +421 (0)32 743 0968 FAX: +421 (0)32 743 0973
 MOKI, s.r.o., Mytna 558/10, 916 01 Stara Tura, Slovak republic
 Email: office@mokisro.sk
 Website:
<http://www.sh-liangxin.com>
<http://www.globalspec.com/Supplier/Profile/ShanghaiLiangxinNaderElectrical>



NDM2 Series Molded Case Circuit Breaker					
Type	Poles	Breaking Capacity 400V (kA)	APPROVAL	Rated Current	Photo
NDM2-63 L	3	25	TUV, CE	10,16,20,25,32,40,50,63	
NDM2-63 M	3	50	TUV, CE		
NDM2-63 4P/A	4	50	CCC		
NDM2-63 4P/B	4	50	CCC		
NDM2-63 4P/C	4	50	CCC		
NDM2-100 C	3	25	CCC	16,20,25,32,40,50,63,80,100	
NDM2-100 L	3	35	TUV, CE		
NDM2-100 M	3	50	CCC		
NDM2-100 H	3	100	CCC		
NDM2-100 4P/A	4	50	CCC		
NDM2-100 4P/B	4	50	CCC	125	
NDM2-100 4P/C	4	50	CCC		
NDM2-125 C	3	25	CCC		
NDM2-125 L	3	35	TUV, CE		
NDM2-125 M	3	50	CCC		
NDM2-125 H	3	85	CCC	100,125,140,160,180,200,225	
NDM2-125 4P/A	4	50	CCC		
NDM2-125 4P/B	4	50	CCC		
NDM2-125 4P/C	4	50	CCC		
NDM2-225 C	3	25	CCC		
NDM2-225 L	3	35	TUV, CE		
NDM2-225 M	3	50	CCC		
NDM2-225 H	3	85	CCC		
NDM2-225 4P/A	4	50	CCC		
NDM2-225 4P/B	4	50	CCC	225,250,315,350,400	
NDM2-225 4P/C	4	50	CCC		
NDM2-250 C	3	25	CCC		
NDM2-250 L	3	35	TUV, CE		
NDM2-250 M	3	50	CCC		
NDM2-250 H	3	85	CCC	400,500,630	
NDM2-250 4P/A	4	50	CCC		
NDM2-250 4P/B	4	50	CCC		
NDM2-250 4P/C	4	50	CCC		
NDM2-400 C	3	35	CCC		
NDM2-400 L	3	50	TUV, CE		
NDM2-400 M	3	65	CCC		
NDM2-400 H	3	100	CCC		
NDM2-400 4P/A	4	50	CCC		
NDM2-400 4P/B	4	50	CCC	18,20,25,32,40,50,63,80,100	
NDM2-400 4P/C	4	50	CCC		
NDM2-630 C	3	35	CCC		
NDM2-630 L	3	50	TUV, CE		
NDM2-630 M	3	65	CCC		
NDM2-630 H	3	100	CCC	100,125,140,160,180,000,000	
NDM2-630 4P/A	4	50	CCC		
NDM2-630 4P/B	4	50	CCC		
NDM2-630 4P/C	4	50	CCC		
NDM2-800 M	3	75	CCC		
NDM2-800 H	3	100	CCC		
NDM2-800 4P/A	4	75	CCC		
NDM2-800 4P/B	4	75	CCC		
NDM2-800 4P/C	4	75	CCC		

Type	Poles	Breaking Capacity 400V (kA)	APPROVAL	Rated Current	Photo
NDM2-400 C	3	35	CCC	225,250,315,350,400	
NDM2-400 L	3	50	TUV, CE		
NDM2-400 M	3	65	CCC		
NDM2-400 H	3	100	CCC		
NDM2-400 4P/A	4	50	CCC		
NDM2-400 4P/B	4	50	CCC	400,500,630	
NDM2-400 4P/C	4	50	CCC		
NDM2-630 C	3	35	CCC		
NDM2-630 L	3	50	TUV, CE		
NDM2-630 M	3	65	CCC		
NDM2-630 H	3	100	CCC	630,700,800	
NDM2-630 4P/A	4	50	CCC		
NDM2-630 4P/B	4	50	CCC		
NDM2-630 4P/C	4	50	CCC		
NDM2-800 M	3	75	CCC		
NDM2-800 H	3	100	CCC		
NDM2-800 4P/A	4	75	CCC		
NDM2-800 4P/B	4	75	CCC		
NDM2-800 4P/C	4	75	CCC		

Note:

- Type A: N pole without overload release, permanent make and free from the other poles
- Type B: N poles without overload release, make or break with the other poles
- Type C: N poles installed overload release, make or break with the other poles

NDM2L Series Mould Case Circuit Breaker With Earth Leakage Protection		
Type	Rated Current (A)	Photo
NDM2L-100 4P/A	Delay type	18,20,25
	Non-delay type	32,40,50,63,80,100
NDM2L-225 4P/A	Delay type	100,125,140,160,180,000,000
	Non-delay type	
NDM2L-400 4P/A	Delay type	225,250,315,350,400
	Non-delay type	

Note:

- Need additional 27.5 USD for accessories for alarm without tripping
- Need additional 6.9 USD for B type products
- Need additional 13.7 USD for C type products
- A/B/C types are different for N pole. Refer to product catalog

PLEASE CONTACT OUR AGENTS FOR MORE DETAILS:




TEL: +421 (0)32 743 0968 FAX: +421 (0)32 743 0973


































MOKI, s.r.o., Mytna 558/10, 016 01 Stara Tura, Slovak republic www.mokiro.sk

Email: office@mokiro.sk

Website: <http://www.sh-liangxin.com>

<http://www.globalspec.com/Supplier/Profile/ShanghaiLiangxinNaderElectrical>

NDM6 Series Electronic Molded Case Circuit Breaker (Electronic Adjustable)				
Type	Poles	Breaking Capacity(kA)	APPROVAL	Photo
NDM6-100H	3	85	CCC	
NDM6-250H	3	85	CCC	
NDM6-400H	3	100	CCC	
NDM6-630H	3	100	CCC	
NDM6-800H	3	100	CCC	
NDQ1 series ATS				
Type	Rated Current (A)	APPROVAL	Photo	
NDQ1-63 3P	10, 16, 20, 25	-		
NDQ1-63 4P	32, 40, 50, 63	-		
NDQ1-100 3P	16, 20, 25, 32, 40	CCC		
NDQ1-100 4P	50, 63, 80, 100	CCC		
NDQ1-225 3P	100, 125, 140, 160	CCC		
NDQ1-225 4P	180, 200, 225	CCC		
NDQ1-400 3P	225, 250	-		
NDQ1-400 4P	315, 350, 400	-		
NDQ1-630 3P		-		
NDQ1-630 4P	400, 500, 630	-		
NDQ2 series ATS				
Type	Rated Current	APPROVAL	Photo	
NDQ2-63 3P	10, 16, 20, 25, 32, 40, 50, 63	CCC		
NDQ2-63 4P	10, 16, 20, 25, 32, 40, 50, 63	CCC		
Note: No split type NDQ2 product				
PLEASE CONTACT OUR AGENTS FOR MORE DETAILS:				
TEL:+421 (0)32 743 0968 FAX:+421 (0)32 743 0973				
MOKI, s.r.o., Mytna 558/10, 916 01 Stara Tura, Slovak republic				
Email:office@mokisro.sk				
Website:				
http://www.sh-liangxin.com				
http://www.globalspec.com/Supplier/Profile/ShanghaiLiangxinNaderElectrical				

Accessories of NDM2, NDM2L series MCCB																															
#	Type	Access. Price	Back plate wiring post	Front plate wiring post	Shunt	Single-auxiliary contact	Double-auxiliary contact	Under-voltage	Alarm	Electric Operating Device		Manual Operating Device	Plug in type back plate wiring	Mechanical interlock	Motor protector	Plug in type front plate wiring	Photo														
										CDM3	CD2																				
	NDM2-63L		-	/	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-63M		-	/	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-63 4P		-	/	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-100C		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-100L		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-100M		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-100H		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-100 4P		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-125C		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-125L		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-125M		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-125H		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-125 4P		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-225C		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-225L		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-225M		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-225H		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-225 4P		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-250C		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-250L		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-250M		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-250H		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-250 4P		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-400C		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-400L		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-400M		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-400H		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-400 4P		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-630C		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-630L		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-630M		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-630H		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-630 4P		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-800M		-	-	-	-	-	-	-	-	-	-	-	-	-	-															
	NDM2-800H		-	-	-	-	-	-	-	-	-	-	-	-	-	-															

Note: 1. Electric operating device, manual operating device and mechanical interlock are applicable for both 3 poles type MCCB and 4 poles type MCCB
2. No discount for NDM2' series accessories.

PLEASE CONTACT OUR AGENTS FOR MORE DETAILS:

TEL:+421 (0)32 743 0968 FAX:+421 (0)32 743 0973

MOKI, s.r.o., Mlynska 558/10, 916 01 Stara Tura, Slovak republic

Email:office@mokisro.sk




Website:http://www.sh-liangxin.com

http://www.globalspec.com/Supplier/Profile?vid=349747&Comp=



www.mokisro.sk

NDP1 Series Modular Terminal Distribution Box

Product Name	Method Of Installation	Description	Tyep	APPROVAL	Remark	photo
NDP1Y (The opening and closing type of box's cover is left and right)	Impendent Type	6-Loop, Translucent Door	NDP1Y-6M	CCC	PC Cover	
		6-Loop, Opaque Door	NDP1Y-6MB	CCC	ABS Cover	
		8-Loop, Translucent Door	NDP1Y-8M	CCC	PC Cover	
		8-Loop, Opaque Door	NDP1Y-8MB	CCC	ABS Cover	
		12-Loop, Translucent Door	NDP1Y-12M	CCC	PC Cover	
		12-Loop, Opaque Door	NDP1Y-12MB	CCC	ABS Cover	
		16-Loop, Translucent Door	NDP1Y-16M	CCC	PC Cover	
		16-Loop, Opaque Door	NDP1Y-16MB	CCC	ABS Cover	
		20-Loop, Translucent Door	NDP1Y-20M	CCC	PC Cover	
		20-Loop, Opaque Door	NDP1Y-20MB	CCC	ABS Cover	
		24-Loop, Translucent Door	NDP1Y-24M	CCC	PC Cover	
		24-Loop, Opaque Door	NDP1Y-24MB	CCC	ABS Cover	
		32-Loop, Translucent Door	NDP1Y-32M	CCC	PC Cover	
		32-Loop, Opaque Door	NDP1Y-32MB	CCC	ABS Cover	
		40-Loop, Translucent Door	NDP1Y-40M	CCC	PC Cover	
		40-Loop, Opaque Door	NDP1Y-40MB	CCC	ABS Cover	
NDP1Y (The opening and closing type of box's cover is left and right)	Embedded Type	6-Loop, Translucent Door	NDP1Y-6	CCC	PC Cover	
		6-Loop, Opaque Door	NDP1Y-6B	CCC	ABS Cover	
		8-Loop, Translucent Door	NDP1Y-8	CCC	PC Cover	
		8-Loop, Opaque Door	NDP1Y-8B	CCC	ABS Cover	
		12-Loop, Translucent Door	NDP1Y-12	CCC	PC Cover	
		12-Loop, Opaque Door	NDP1Y-12B	CCC	ABS Cover	
		16-Loop, Translucent Door	NDP1Y-16	CCC	PC Cover	
		16-Loop, Opaque Door	NDP1Y-16B	CCC	ABS Cover	
		20-Loop, Translucent Door	NDP1Y-20	CCC	PC Cover	
		20-Loop, Opaque Door	NDP1Y-20B	CCC	ABS Cover	
		24-Loop, Translucent Door	NDP1Y-24	CCC	PC Cover	
		24-Loop, Opaque Door	NDP1Y-24B	CCC	ABS Cover	
		32-Loop, Translucent Door	NDP1Y-32	CCC	PC Cover	
		32-Loop, Opaque Door	NDP1Y-32B	CCC	ABS Cover	
		40-Loop, Translucent Door	NDP1Y-40	CCC	PC Cover	
		40-Loop, Opaque Door	NDP1Y-40B	CCC	ABS Cover	
NDP1S (The opening and closing type of the box's cover is up and down)	Impendent Type	12-Loop, Opaque Door	NDP1S-12MB	CCC	ABS Cover	
		18-Loop, Opaque Door	NDP1S-18MB	CCC	ABS Cover	
		24-Loop, Opaque Door	NDP1S-24MB	CCC	ABS Cover	
		36-Loop, Opaque Door	NDP1S-32MB	CCC	ABS Cover	
	Embedded Type	12-Loop, Opaque Door	NDP1S-12B	CCC	ABS Cover	
		18-Loop, Opaque Door	NDP1S-18B	CCC	ABS Cover	
		24-Loop, Opaque Door	NDP1S-24B	CCC	ABS Cover	
		36-Loop, Opaque Door	NDP1S-32B	CCC	ABS Cover	

Note: Two layers for 24 and above loops.

PLEASE CONTACT OUR AGENTS FOR MORE DETAILS:

TEL:+421 (0)32 743 0968 FAX:+421 (0)32 743 0973

MOKI, s.r.o., Mytna 558/10, 916 01 Stara Tura, Slovak republic

Email:office@mokisro.sk

Website:

<http://www.sh-liangxin.com>

<http://www.globalspec.com/Supplier/Profile/ShanghaiLiangxinNaderElectrical>

